J. Field Ornithol., 68(4):646–650

Indices to Volume 68

Compiled by Michelle Cawthorn

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Acosta, M., 310–311 (r)
Aguirre-Rivera, J. R., 633–634 (r)
Akesson, S., 313 (r)
Alerstam, T., 157 (r), 313 (r)
Alfaro, L., 562–574
Anderson, S. H., 166 (r)
Andrews, R. W., 91–97
Ankney, C. D., 19–25
Arcese, P., 7–18
Arnold, T. W., 19–25
Baker, M. C., 484 (r)
Barber, C. A., 162–163 (r)
Barbosa, A., 607–612
Barclay, R. M. R., 161–162 (r)
Bass, D. A., 157–158 (r)
Bauldry, V. M., 7–18
Beasley, B. A., 483–484 (r)
Bennett, G. F., 75–78
Berg, A., 638–639 (r)
Bergkvist, J., 164 (r)
Bergman, D. L., 450–457
Besser, J. F., 165 (r)
Blanco, G., 392–399, 485–486 (r)
Blem, C. R., 245–252
Blem, L. B., 245–252
Blixt, D. C., 450–457
Blockstein, D. E., 537–546
Blokpoel, H., 311 (r)
Blomqvist, O. C., 164 (r)
Blum, J. D., 632 (r)
Blumton, A. K., 302–305
Boag, P. T., 162–163 (r), 483 (r)
Bollinger, E., 489–490 (r)
Bookhout, T. A., 200–207
Booth, R., 69–74
Bosque, C., 310 (r)
Bowman, R., 580–589
Brackney, A. W., 124–134
Bradstreet, M., 155 (r)
Bremer, R. E., 79–90
Briskie, J. V., 641 (r)
Brodin, A., 484 (r)
Brousseau, P., 158 (r)
Brown, C. R., 317 (r)
Bruderer, B., 166 (r)
Bruinzeel, L., 495 (r)
Brunfield, R. T., 315–316 (r)
Brush, T., 635–636 (r)
Bruun, M., 487–488 (r)
Bryant, D. M., 317 (r)
Buckland, S. T., 547–561
Bull, E. L., 302–305
Burger, A. E., 208–223, 547–561
Burger, J., 634 (r)
Burley, N. T., 162 (r)
Canterbury, G. E., 537–546
Capparella, A. P., 315–316 (r)
Cardenas, M., 135–143
Carlson, A., 316–317 (r)
Cesaris, C., 169 (r)
Chamberlain, C. P., 632 (r)
Chernetsov, N., 638 (r)
Christe, P., 497 (r)
Clark, R. G., 33–41, 637 (r)
Clarke, M. F., 160 (r)
Clason, D. L., 639–640 (r)
Clayton, D. H., 509–518
Collazo, J. A., 602–606
Collier, B., 155 (r)
Collins, B., 155 (r)
Collister, D. M., 273–282
Conover, M. R., 485 (r)
Converse, K. A., 503–508
Cormons, G., 79–90
Cosgrove, C. C., 245–252
Costanzo, G. R., 503–508
Creighton, J. C., 306 (r)
Cresswell, W., 491 (r)
Cruz, A., 91–97
Cummings, J. L., 165 (r)
Dachelet, C. A., 228–234
Dale, S., 308–309 (r)
Davis, Jr., J. E., 165 (r)
de Lima Serrano do Nascimento, I., 79–90
De Smet, K., 273–282
de Tarso Zuquim Antas, P., 79–90

J. Field Ornithol., 68(4):646–650

Indices to Volume 68

Compiled by Michelle Cawthorn

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Acosta, M., 310–311 (r)
Aguirre-Rivera, J. R., 633–634 (r)
Akesson, S., 313 (r)
Alerstam, T., 157 (r), 313 (r)
Alfaro, L., 562–574
Anderson, S. H., 166 (r)
Andrews, R. W., 91–97
Ankney, C. D., 19–25
Arcese, P., 7–18
Arnold, T. W., 19–25
Baker, M. C., 484 (r)
Barber, C. A., 162–163 (r)
Barbosa, A., 607–612
Barclay, R. M. R., 161–162 (r)
Bass, D. A., 157–158 (r)
Bauldry, V. M., 7–18
Beasley, B. A., 483–484 (r)
Bennett, G. F., 75–78
Berg, A., 638–639 (r)
Bergkvist, J., 164 (r)
Bergman, D. L., 450–457
Besser, J. F., 165 (r)
Blanco, G., 392–399, 485–486 (r)
Blem, C. R., 245–252
Blem, L. B., 245–252
Blixt, D. C., 450–457
Blockstein, D. E., 537–546
Blokpoel, H., 311 (r)
Blomqvist, O. C., 164 (r)
Blum, J. D., 632 (r)
Blumton, A. K., 302–305
Boag, P. T., 162–163 (r), 483 (r)
Bollinger, E., 489–490 (r)
Bookhout, T. A., 200–207
Booth, R., 69–74
Bosque, C., 310 (r)
Bowman, R., 580–589
Brackney, A. W., 124–134
Bradstreet, M., 155 (r)
Bremer, R. E., 79–90
Briskie, J. V., 641 (r)
Brodin, A., 484 (r)
Brousseau, P., 158 (r)
Brown, C. R., 317 (r)
Bruderer, B., 166 (r)
Bruinzeel, L., 495 (r)
Brunfield, R. T., 315–316 (r)
Brush, T., 635–636 (r)
Bruun, M., 487–488 (r)
Bryant, D. M., 317 (r)
Buckland, S. T., 547–561
Bull, E. L., 302–305
Burger, A. E., 208–223, 547–561
Burger, J., 634 (r)
Burley, N. T., 162 (r)
Canterbury, G. E., 537–546
Capparella, A. P., 315–316 (r)
Cardenas, M., 135–143
Carlson, A., 316–317 (r)
Cesaris, C., 169 (r)
Chamberlain, C. P., 632 (r)
Chernetsov, N., 638 (r)
Christe, P., 497 (r)
Clark, R. G., 33–41, 637 (r)
Clarke, M. F., 160 (r)
Clason, D. L., 639–640 (r)
Clayton, D. H., 509–518
Collazo, J. A., 602–606
Collier, B., 155 (r)
Collins, B., 155 (r)
Collister, D. M., 273–282
Conover, M. R., 485 (r)
Converse, K. A., 503–508
Cormons, G., 79–90
Cosgrove, C. C., 245–252
Costanzo, G. R., 503–508
Creighton, J. C., 306 (r)
Cresswell, W., 491 (r)
Cruz, A., 91–97
Cummings, J. L., 165 (r)
Dachelet, C. A., 228–234
Dale, S., 308–309 (r)
Davis, Jr., J. E., 165 (r)
de Lima Serrano do Nascimento, I., 79–90
De Smet, K., 273–282
de Tarso Zuquim Antas, P., 79–90

Debus, S. J. S., 155–156 (r)
DeStefano, S., 500 (r)
Deviche, P., 613–621
Díaz, M., 484–485 (r)
Dickinson, J. L., 312 (r), 635 (r)
DiCostanzo, J., 79–90
Dierschke, V., 638 (r)
Doherty, Jr., P. F., 311 (r)
Donnan, D., 642 (r)
Douglas, H. D., 224–227
Downs, C. T., 633 (r)
Drent, R., 495 (r)
Droege, S., 171–172 (r)
Duan, W., 200–207
Dugger, B. D., 331–337
Dunlop, J. N., 498 (r)
Dutenhoffer, M. S., 495 (r)
Edwards, J. W., 228–234
Eguchi, K., 633 (r)
Ekman, J. B., 316–317 (r)
Emery, R. B., 1–6
Emlen, S. T., 170 (r)
Endler, J. A., 169–179 (r)
Ennola, K., 319 (r)
Er, K. B. H., 155 (r)
Ericson, P. G. P., 316 (r)
Erritzoe, J., 494–495 (r)
Evans, R. M., 488–489 (r)
Farrell, J. R., 156–157 (r)
Feng, X., 632 (r)
Fernández, E. C., 382–391
Fernández, P., 224–227
Fields, R. L., 471–481
Fischbacher, M., 485 (r)
Fitzpatrick, S., 636 (r)
Floyd, T., 634 (r)
Forero, M. G., 575–579
Forsman, E. D., 500 (r)
Fotheringham, J. R., 486–487 (r)
Franzreb, K. E., 458–470
Frederick, P. C., 287–295
Freeberg, T. M., 483 (r)
Frith, C. B., 490 (r)
Frith, D. W., 490 (r)
Fujimaki, Y., 492–493 (r)
Gajon, A., 575–579
Galeotti, P., 169 (r)
Galetti, M., 310 (r)
Garcia-Moya, E., 633–634 (r)
Gende, S. M., 590–601
Gibson, R. M., 162 (r)
Gilbert, L., 152–154
Giroux, J.-F., 158 (r)
Gomez, F., 485–486 (r)
González, S., 113–123, 562–574
Gonzalez-Martin, M., 160–161 (r)
Goodrich, L., 319–320 (r)
Gorman, G., 501–502 (r)
Götmark, F., 164 (r), 483 (r)
Gougen, C. B., 312 (r)
Gowaty, P. A., 323–330
Graham, D. L., 98–101
Graham, K., 155 (r)
Graves, G. R., 443–449, 632 (r)
Gray, D. A., 170 (r)
Gray, E. M., 635 (r)
Grubb, Jr., T. C., 311 (r)
Gudmundsson, G. A., 314 (r)
Gustavsen, R., 308–309 (r)
Gutiérrez, R. J., 500 (r)
Guyn, K. L., 33–41
Haig, S. M., 358–366
Hake, M., 495–496 (r)
Hakkarainen, H., 636 (r)
Hall, S., 496 (r)
Hamilton, I., 642 (r)
Harris, M. P., 547–561
Harvey, IV, W. F., 503–508
Haydock, J., 163 (r)
Hays, H., 79–90
Hedenström, A., 157 (r)
Herkert, J. R., 235–244
Hewitt, D. G., 413–420
Hillgarth, N., 318 (r)
Hindman, L. J., 503–508
Hiraoka, T., 490 (r)
Hohman, W. L., 643 (r)
Holmes, R. T., 632 (r)
Holt, Jr., J. B., 493 (r)
Horn, A., 307 (r)
Houston, C. S., 643–644 (r)
Houston, D., 642 (r)
Houston, M. I., 643–644 (r)
Howell, S. N. G., 500–501 (r)
Howerter, D. W., 1–6
Hudde, H., 166–167 (r)
Huhta, E., 492 (r)
Huhtala, K., 309–310 (r)
Hulsman, K., 497–498 (r)
Hunter, D. B., 168 (r)
Hupp, J. W., 124–134
Ishida, K., 482 (r)
Jansen, P., 530–536
Jenni, L., 315 (r)
Johns, B. E., 165 (r)
Johnson, L. S., 161–162 (r)
Johnson, W. P., 632 (r)
Jokimäke, J., 492 (r)
Jones, P., 642 (r)
Joynt, B. L., 1–6
Jungers, M., 562–574
Jussila, P., 309–310 (r)
Kaiser, A., 165–166 (r)
Karlsson, L., 313 (r)

Kattan, G. H., 634–635 (r)
Kazama, T., 496 (r)
Kelly, J. F., 158 (r)
Kemp, K. E., 253–258
Kennedy, P. L., 69–74
Kerley, L. L., 166 (r)
Kerlinger, P., 501 (r)
Kershner, E. L., 489–490 (r)
Kersten, M., 495 (r)
Kimball, R. T., 494–495 (r)
Kirkpatrick, R. L., 413–420
Klaassen, M., 169 (r)
Klus, R. J., 622–629
Klute, D. S., 253–258
Knittle, C. E., 165 (r)
Koivula, K., 159–160 (r)
Konishi, H., 492–493 (r)
Kuletz, K. J., 421–425
Kurodo, N., 496 (r)
Lahti, K., 159–160 (r), 484 (r), 636 (r)
Lampman, K. P., 311 (r)
Laporte, P., 56–63
Lardelli, R., 166 (r)
Latta, S. C., 494 (r)
Lawler, J. J., 490–491 (r)
Lefebvre, G., 426–442
Lefebvre, J., 158 (r)
Lehtilä, K., 319 (r)
Leisler, B., 164–165 (r)
Lens, L., 484 (r)
Leonard, M., 307 (r)
Leonard, M. L., 312 (r)
Levin, R. N., 487 (r)
Lewicki, M. S., 311 (r)
Ley, A. J., 490 (r)
Liechti, F., 166 (r)
Lifjeld, J. T., 164 (r)
Lill, A., 486 (r)
Lilliendahl, K. E., 316–317 (r), 486 (r)
Lima, S. L., 306–307 (r)
Linz, G. M., 165 (r), 450–457
Long, D. J., 152–154
Lundvall, P., 636 (r)
Lundy, K., 162 (r)
Luthin, C., 287–295
Macdougall-Shackleton, E. A., 483 (r)
Maekawa, H., 488 (r)
Mancina, C., 310–311 (r)
Mappes, T., 636 (r)
Marini, M. A., 634 (r)
Marks, D. K., 421–425
Martin, P. R., 486–487 (r)
Martin, T. E., 637 (r)
Martínez, F., 392–399
Martinez-Delgado, E., 633–634 (r)
Mathews, N. E., 312 (r)
Mattes, H., 485 (r)
McFarland, D. C., 157 (r)
McMurl, C., 450–457
McShea, W. J., 367–375
Mellink, E., 113–123, 633 (r)
Miranda, L., 602–606
Miyasato, L. E., 484 (r)
Møller, A. P., 494–495 (r)
Montgomerie, R., 641 (r)
Montoya, A. B., 135–143
Moore, F. R., 312–313 (r)
Morato, J., 485–486 (r)
Moss, R., 167–168 (r)
Mugica, L., 310–311 (r)
Mulvihill, R. S., 183–199
Murray, Jr., B. G., 348–357
Muschitz, D. M., 7–18
Neudorf, D. L., 64–68
Nishiumi, I., 488 (r)
Nogales, M., 382–391
Nummi, P., 639 (r)
O'Neill, P., 497–498 (r)
Ogilvie, P., 497–498 (r)
Oliver, D. L., 490 (r)
Olsson, J., 483 (r)
Olsson, O., 163 (r)
Omland, K. E., 640 (r)
Oppliger, A., 497 (r)
Oring, L. W., 296–301
Osborne, D., 642 (r)
Page, G. W., 562–574
Palacios, E., 113–123, 562–574
Paredes, R., 102–112
Parker, P. G., 162–163 (r)
Parr, R., 167–168 (r)
Parsons, K. C., 318–319 (r)
Pearce, J. M., 471–481
Pennycuik, C. J., 306 (r)
Perez, C. J., 493 (r)
Pérez-Rivera, R. A., 178–182
Perrin, M. R., 633 (r)
Peter, D., 166 (r)
Pettersson, J., 314 (r)
Picman, J., 632–633 (r)
Piersma, R., 495 (r)
Pitcher, T. E., 64–68
Pitt, W. C., 485 (r)
Pitts, T. D., 167 (r)
Pizo, M. A., 310 (r)
Plissner, J. H., 323–330
Porkas, M., 319–320 (r)
Poulin, B., 426–442
Poysa, H., 639 (r)
Pribil, S., 632–633 (r)
Price, P., 636 (r)
Pulliainen, E., 309–310 (r)
Purcell, K. L., 283–286
Rabenold, K. N., 163 (r)

Radunzel, L. A., 7–18
Rahbek, C., 639 (r)
Ralph, C. J., 171–172 (r)
Ramírez, R., 310 (r)
Raphael, M. G., 500 (r)
Rappole, J. H, 367–375
Ratcliffe, L., 486–487 (r)
Reed, J. M., 296–301
Reeves, H. M., 643–644 (r)
Reichel, J. D., 42–55
Reynolds, M. H., 26–32
Richner, H., 497 (r)
Ritchotte, G. L., 26–32
Rivera-Milán, F. F., 259–272
Robel, R. J., 253–258
Robert, M., 56–63
Robertson, D. G., 124–134
Robertson, R. J., 162–163 (r), 483 (r), 486–487 (r)
Robinson, A. P., 155 (r)
Rodgers, Jr., J. A., 161 (r)
Rodríguez, D., 310 (r)
Rodríguez, R. F., 392–399
Rodway, M. S., 338–347
Rohner, C., 168 (r)
Rolando, A., 638 (r)
Rose, A. M., 491 (r)
Rowher, F. C., 632 (r)
Ruiz, X., 160–161 (r), 310–311 (r)
Rupert, J. R., 635–636 (r)
Sabag, C., 144–146
Sandberg, R., 312–314 (r)
Sandell, M. I., 482 (r), 487–488 (r)
Sandoval, J. C., 287–295
Sankowski, T. P., 1–6
Sauer, J. R., 171–172 (r)
Schempf, P. F., 150–151
Schnell, G. D., 306 (r)
Schreiber, E. A., 311–312 (r)
Schulze-Hagen, K., 164–165 (r)
Schwikert, S. T., 161 (r)
Scribner, K. T., 471–481
Sedgwick, J. A., 622–629
Seto, N. W. H., 530–536
Shapiro-Wenner, A., 161 (r)
Shealer, D. A., 634 (r)
Shepherd, W. M., 640 (r)
Sherry, T. W., 632 (r)
Shimodo, C., 488 (r)
Silverin, B., 642–643 (r)
Simão, I., 310 (r)
Slagsvold, T., 308–309 (r)
Smith, A. A., 488 (r)
Smith, D. W., 493 (r)
Smith, H. G., 482 (r), 487–488 (r)
Smith, K. G., 640 (r)
Smith, S., 493 (r)
Snow, R. W., 167 (r)
Sogge, M. K., 630–631
Solonen, T., 315 (r)
Sossinka, R., 159 (r)
Spalding, M., 287–295
Spindler, M. A., 124–134
Spooner, A., 632–633 (r)
Stanisick, M., 173–177
Stein, Jr., G., 503–508
Stelte, W., 159 (r)
Stenzel, L. E., 562–574
Stevens, E. E., 228–234
Stinson, D. W., 42–55
Stokes, T., 497–498 (r)
Stutchbury, B. J., 75–78
Suhonen, J., 484 (r)
Swaddle, J. P., 311–312 (r)
Swanson, D. L., 495 (r)
Syrjänen, K., 319 (r)
Takagi, M., 496–497 (r)
Tarof, S. A., 75–78
Taylor, M. E., 311 (r)
Tella, J. L., 575–579
Therrien, J. E., 156 (r)
Théry, M., 169–170 (r)
Thompson, J. E., 19–25
Thönen, W., 159 (r)
Tibbot, C., 319–320 (r)
Tidemann, C. R., 155 (r)
Tolonen, P., 636 (r)
Tracy, T. T., 484 (r)
Traveset, A., 144–146
Tumbrinck, J., 485 (r)
Tunkkari, P. S., 309–310 (r)
Tyrrant, B. L., 639–640 (r)
Urano, E., 633 (r)
Valdez, R., 639–640 (r)
Van der Meer, J., 495 (r)
Viverette, C., 319–320 (r)
Voelker, G., 317–318 (r), 400–412
Vuilleumier, F., 168 (r)
Walcott, C., 314 (r)
Walinder, G., 313 (r)
Walsberg, G. E., 173–177
Walther, B. A., 509–518
Wanless, S., 547–561
Ward, J. M., 69–74
Watson, A., 167–168 (r)
Watts, B. D., 519–525
Weber, L. M., 358–366
Weinstein, J. H., 490–491 (r)
Welander, J., 316–317 (r)
Welling, P., 159–160 (r)
Wesolowski, T., 637–638 (r)
Wheelwright, N. T., 490–491 (r)
Whittingham, L. A., 164 (r)
Whittow, G. C., 376–381

Widmer, F., 315 (r)
Wiehn, J., 636 (r), 643 (r)
Wieneke, J., 490 (r)
Wiersma, P., 495 (r)
Wiles, G. J., 42–55
Williams, B., 490 (r)
Willson, M. F., 144–146, 590–601
Wilson, M. C., 519–525
Wiltschko, R., 314 (r)
Wiltschko, W., 314 (r)
Winkel, W., 166–167 (r)
Winkler, H., 164–165 (r)
Winstead, R. L., 183–199
Wobeser, B. K., 637 (r)
Wolf, B. O., 173–177
Wood, P. H., 319–320 (r)
Woolfenden, G. E., 580–589
Wunderle, Jr., J. M., 494 (r)
Xavier do Nascimento, J. L., 79–90
Yamagishi, S., 488 (r), 633 (r)
Yerkes, T., 147–149
Zavalaga, C. B., 102–112
Zimmer, J. M., 526–529
Zimmerman, J. L., 317 (r)
Zink, R. M., 168–169 (r)
Zollner, P. A., 306–307 (r)
Zwank, P. J., 135–143, 493 (r), 639–640 (r)

J. Field Ornithol., 68(4):651–652

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; and a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review sections of the Journal, they are indexed by geographic location only.

Africa, 495 (r)
Alabama, 585
Alaska, 43, 124–134, 150–151, 209, 218, 473, 520, 590–601, 613–621
Alberta, 273–282
Alps, 166 (r)
Andes, 316 (r)
Antarctica, 402
Argentina, 79–90, 91, 96
Arizona, 585, 630–631
Arkansas, 331–337, 640 (r)
Australia, 52, 155 (r), 160 (r), 361, 486 (r), 491–493 (r), 498 (r)
behavior
  activity times, 413–420
  anti-predator, 607–612
  roosting, 302–305
  singing, 367–375, 630–631
Belgium, 488 (r)
Belize, 293
bird communities, 42–55, 287–295, 537–546, 562–574
Bolivia, 80
Brazil, 79–90, 91, 482 (r)
breeding biology, 7–18, 26–32, 91–97, 135–143, 273–282, 296–301, 580–589, 613–621
  field techniques, 56–63, 323–330
  mass loss in eggs, 376–381
  monitoring, 392–399
British Columbia, 208–223, 417
California, 80, 152–154, 162 (r), 209, 312 (r), 500 (r), 580, 585
Canada, 1–6, 132–133, 235–236, 413, 520, 632 (r), 643–644 (r)
Canary Islands, 382–391
Chile, 80, 141, 500–501 (r)
Christmas Island, 310–311 (r), 376–381
Colombia, 634–635 (r)
Colorado, 417
Connecticut, 80, 82, 319 (r), 364
Costa Rica, 293
diet
  composition, 178–182, 358–366, 382–391
  estimating prey availability, 426–442, 602–606
disease, 503–508
distribution, 113–123, 124–134
  winter, 79–90
Dominican Republic, 179, 494 (r)
Ecuador, 224–227
feeding
  ecology, 144–146, 245–252
  supplemental, 590–601
field techniques
  aging, 400–412, 443–449
  artificial nests, 33–41
  banding, 622–629
  depth recorders, 547–561
  estimating ectoparasites, 509–518
  estimating prey availability, 426–442, 602–606
  food boxes, 69–74
  identification and marking, 1–6
  mist-netting, 348–357
  morphometrics and aging, 338–347
  nest examination, 283–286, 530–536
  quantifying behvaior, 173–177
  radar tracking, 208–223
  trapping, 147–149
Finland, 308–309 (r), 315 (r), 417, 492 (r)
Florida, 91, 161 (r), 291, 364, 467, 580–589
food availability, 253–258
France, 555
French Guiana, 169–170 (r)
genetic analysis, 471–481
Georgia, 467, 585–586, 632 (r)
Germany, 165–167 (r), 638 (r)
Greater Antilles, 520
Greece, 501–502 (r)
Guam, 42–55
Guatemala, 293
Guyana, 96
Hawaii, 26–32, 46, 226
Honduras, 287–295
Hungary, 501 (r)
Iceland, 314 (r)
Idaho, 171 (r), 279, 382, 485 (r)

Illinois, 235–244, 489–490 (r)
Indiana, 241, 279, 483 (r)
Iowa, 241
Ireland
  Northern, 636 (r)
Italy, 638 (r)
Jamaica, 180
Japan, 43, 47, 49, 53, 488 (r), 490 (r), 492–493 (r), 496–497 (r)
Johnston Atoll, 310–311 (r)
Kansas, 237, 253–258
Kentucky, 328, 332
La Selva, 98–101
lifespan, 150–151, 224–227
Louisiana, 332, 632 (r)
Madagascar, 633 (r)
Manitoba, 1–6, 19–25, 147–149, 273–282, 489 (r)
Mariana Islands, 42–45
Maryland, 503–508
Mexico, 172 (r), 293, 633–634 (r)
  Baja California, 562–574
  Chihuahua, 135–143
  Quintana Roo, 75–78
  Río Colorado, 113–123
Michigan, 200–207, 237, 241, 327
Micronesia, 42–55
Midway Atoll, 530–536
migration, 331–337, 519–525
Minnesota, 165 (r), 241, 279, 296–301, 417, 537–546
Mississippi, 332, 467
Missouri, 241, 279, 332–333, 419
molt, 183–199, 400–412
Montana, 171 (r), 245–252
mortality
  sources of, 98–101
nest
  artificial, 33–41, 147–149, 228–234
  boxes, 7–18, 323–330
New Brunswick, 490–491 (r)
Newfoundland, 338–347, 520
New Guinea, 43, 49, 52–53
New Hamphsire, 443
New Jersey, 237, 319 (r), 348–357
New Mexico, 69–74, 136, 312 (r), 639–640 (r)
New South Wales, 155–158 (r), 490 (r)
New York, 79–90, 156 (r), 319 (r), 418, 520
New Zealand, 43, 160 (r), 226, 532
Nicaragua, 287–295
North Carolina, 184, 443–449, 467, 503–508
North Dakota, 279, 450–457, 526–529
North Pole, 168 (r)
Norway, 164 (r)
Nova Scotia, 307 (r)
Ohio, 241, 493 (r)
Oklahoma, 306 (r)
Ontario, 155 (r), 163 (r), 171 (r), 279, 310 (r), 487 (r)
Oregon, 302–305, 500 (r), 622–629
Panama, 91, 426–442
Paraguay, 293
parasites, 575–579
Pennsylvania, 64–68, 75–78, 183–199, 319–320 (r), 443–449
Peru, 81, 102–112
Philippines, 43
Poland, 637–638 (r)
population biology, 235–244, 259–272, 450–457, 458–470
predation, 152–154
Puerto Rico, 178–182, 259–272, 602–606
Quebec, 56–63, 158 (r), 279, 520
Queensland, 490 (r), 497–498 (r)
radiotransmitters
  effects on reproduction, 64–68
Russia, 473, 638 (r)
Saipan, 42–55
Saskatchewan, 1–6, 33–41, 280
Scotland, 167–168 (r), 317 (r), 491 (r), 547–561
South Carolina, 228–234, 323–330, 358–366, 458–470, 581, 585
South Dakota, 165 (r), 451, 483 (r)
South George Island, 163 (r)
Spain, 160–161 (r), 392–399, 485–486 (r), 575–579, 607–612
Surinam, 96
Sweden, 164 (r), 487–488 (r), 496 (4), 638–639 (r)
Switzerland, 485 (r)
techniques
  estimating clutch size, 19–25
  sex determination, 102–112
Tennessee, 167 (r), 184, 332
Texas, 136, 141, 291, 467, 493 (r), 580–589, 635–636 (r)
Tierra del Fuego, 144–146
transmitters, 526–529
Trinidad, 91, 96, 181 (r)
Uruguay, 79–90, 91
Utah, 485 (r)
Venezuela, 91–97, 163 (r), 293, 309 (r), 426–442
Virginia, 184, 367–375, 413–420, 503–508, 519–525
Wake Island, 46
Washington, 500 (r)
Wisconsin, 7–18, 241, 636 (r)
Wyoming, 485 (r)
Yucatan, 291–292

J. Field Ornithol., 68(4):653–662

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

Accipiter cooperii, 304
A. gentilis, 69–74, 597
A. nisus, 307–308 (r), 483 (r), 486 (r)
A. striatus, 250, 319–320 (r)
A. superciliosus, 98
Acrocephalus arundinaceus, 488 (r)
A. palustris, 159 (r), 164–165 (r)
A. schoenobaenus, 313 (r), 496 (r), 638 (r)
A. scirpaceus, 164–166 (r), 313 (r), 496 (r)
Actitis hypoleucos, 42, 45–46, 48–50, 53
A. macularia, 123, 296–301, 567–569, 627
Aechmophorus occidentalis, 122
Agelaius icterocephalus, 96
A. phoeniceus, 20, 165 (r), 451, 489–490 (r), 635 (r)
A. tricolor, 20
Aimophila cassinii, 140
Ajaia ajaja, 287–295
Alauda arvensis, 157 (r)
Albatross
Black-footed, see *Diomedea nigripes*
Black-browed, see *Diomedea melanophris*
Laysan's, see *Diomedea immutabilis*
Royal, see *Diomedea epomophora*
Wandering, see *Diomedea eluxans*
Waved, see *Diomedea irrorata*
Alle alle, 344
Amazilia tzacatl, 100
Ammodramus henslowii, 235–244
A. savannarum, 489–490 (r)
Amphispiza bilineata, 140
Anas acuta, 119–120
A. americana, 119, 639 (r)
A. clypeata, 119, 526–529
A. crecca, 5, 632 (r), 639 (r)
A. cyanoptera, 119
A. discors, 290, 292
A. platyrhynchos, 1–6, 35, 67, 147–149, 331–337, 527, 632 (r), 637 (r), 639–640 (r), 643 (r)
A. strepera, 527
Anhinga anhinga, 291
Anous minutus, 531
Antshrike
Slaty, see *Thamnophilus punctatus*
Antwren
Checkered-throated, see *Myrmotherula fulviventris*
Aphelocoma spp., 193
A. coerulescens, 280, 633–634 (r)
A. ultramarina, 633–634 (r)
Aptenodytes patagonicus, 163–164 (r)
Apus apus, 305, 509–518
Ardea alba, 118–119, 122, 155 (r), 485 (r)
A. herodias, 118–119, 122, 155 (r), 287–295, 485 (r)
A. purpurea, 160–161 (r)
Ardeola ralloides, 160–161 (r)
Arenaria interpres, 42, 45–46, 50, 52–53, 123, 567–569, 627, 638 (r)
A. melanocephala, 567, 569
Arundinicola leucocephala, 96
Auklet
Rhinoceros, see *Cerorhinca monocerata*
Avocet
American, see *Recurvirostra americana*
Aythya americana, 147–149
A. valisineria, 119, 335
Blackbird, see *Turdus merula*
Red-breasted, see *Leistes militaris*
Red-winged, see *Agelaius phoeniceus*
Tricolored, see *Agelaius tricolor*
Yellow-headed, see *Xanthocephalus xanthocephalus*
Yellow-hooded, see *Agelaius icterocephalus*
Bluebird
Eastern, see *Sialia sialis*
Western, see *Sialia mexicana*
Bonasa bonasia, 492–493 (r)
B. umbellus, 413–420
Booby
Brown, see *Sula leucogaster*
Bowerbird
Great, see *Chlamydera nuchalis*
Brachyramphus marmoratus, 153, 208–223, 421–425
Branta bernicla, 565
canadensis, 119, 505
Brotogeris tirica, 309 (r)
Bubo virginianus, 39, 70, 168 (r), 493 (r)
Bubulcus ibis, 119, 122, 160–161 (r), 306 (r)
Bucephala albeola, 505

B. clangula, 639 (r)
Bufflehead, see *Bucephala albeola*
Bunting
Lark, see *Calamospiza melanocorys*
Snow, see *Plectrophenax nivalis*
Bushtit, see *Psaltriparus minimus*
Buteo buteo, 608, 610
B. jamaicensis, 39, 493 (r), 632 (r)
B. platypterus brunnescens, 179
B. swainsoni, 39
Butorides striatus, 119
Cairina moschata, 291–292
Calamospiza melanocorys, 317 (r)
Calidris acuminata, 46, 51
C. alba, 46, 50–51, 123, 567–569, 571, 627, 638 (r)
C. alpina, 47, 53, 123, 314 (r), 360–361, 562–574, 607–612
C. canutus, 123, 562–574
C. c. canutus, 495 (r)
C. canutus islandica, 495 (r)
C. ferruginea, 47, 361
C. maritima, 638 (r)
C. mauri, 113–123, 360, 562–574
C. melanotus, 47
C. minuta, 47, 52
C. minutilla, 123, 360, 562–574
C. pusilla, 360, 627
C. ruficollis, 42, 45–46, 48, 51–53
C. subminuta, 47
C. temminckii, 47
C. tenuirostris, 47, 52
Calypte anna, 248
Campephilus magellanicus, 501 (r)
C. principalis, 500–501 (r)
Campylorhyncus brunneicapillus, 140
C. griseus, 96, 163 (r)
Canvasback, see *Aythya valisineria*
Caprimulgus acutipennis, 577
C. carolinensis, 577
C. climacurus, 577
C. donaldsoni, 577
C. europaeus, 577
C. fossii, 577
C. indicus, 492–493 (r)
C. madagascariensis, 577
C. macrurus, 577
C. natalensis, 577
C. pectoralis, 577
C. poliocephalus, 577
C. ruficollis, 575–579
C. rufigena, 577
C. rufus, 577
C. tristigma, 577
C. vociferus, 577
Cardinal
Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 367–375
C. sinuatus, 140
Carduelis chloris, 486 (r), 495–496 (r)
Catharus bicknelli, 519–525
C. fuscescens, 537–546
C. minimus, 519–525
Catoptrophorus semipalmatus, 123, 562–574
Centrocercus urophasianus, 162 (r)
Cerorhinca monocerata, 153
Ceryle alcyon, 120, 158–159 (r), 485 (r), 500 (r)
C. torquata, 500 (r)
Chaetura pelagica, 305
C. vauxi, 302–305
Charadrius alexandrinus, 47, 122, 565, 573
C. dubius, 46, 48
C. hiaticula, 46, 48, 52, 638 (r)
C. leschenaultii, 46–48
C. mongolus, 42, 45–48, 53
C. montanus, 567–570
C. semipalmatus, 360–361, 567–569
C. vociferus, 123, 567–569
C. wilsonius, 123, 567–569, 572
Chen caerulescens caerulescens, 20, 124–134
Chickadee
Black-capped, see *Parus atricapillus*
Chlamydera nuchalis, 490 (r)
Chlidonias niger, 451
Chloephaga picta, 144–146
C. poliocephala, 144–146
Chlorostilbon maugaeus, 180
Chordeiles acutipennis, 577
C. minor, 140, 577
Cinclus cinclus, 317 (r)
Circus aeroginosus, 608, 610
C. cyaneus, 119, 608, 610, 632 (r)
Cisthothorus palustris, 451
Clangula hyemalis, 505
Climacterus rufa, 491–492 (r)
Coccyzus minor, 179 (r)
Cock-of-the-rock, see *Rupicola rupicola*
Columba fasciata, 211
C. livia, 136, 314 (r), 509–518
C. squamosa, 270
Columbina passerina, 580–589
C. p. pallescens, 580–589
C. p. passerina, 580–589
Coot
American, see *Fulica americana*
Eurasian, see *Fulicula atra*
Corapipo guttaralis, 169–170 (r)
Cormorant
Double-crested, see *Phalacrocorax auritus*
Great, see *Phalacrocorax carbo sinensis*
Japanese, see *Phalacrocorax capillatus*
King, see *Phalacrocorax albiventer*
Corvus brachyrhynchos, 490–491 (r)

C. caurinus, 596
C. corax, 382–391, 633 (r)
C. corone, 496 (r)
Coturnicops noveboracensis, 56–63
Coturnix coturnix, 70, 511
Cowbird
Brown-headed, see *Molothrus ater*
Shiny, see *Molothrus bonariensis*
Crane
Greater Sandhill, see *Grus canadensis tabida*
Mississippi Sandhill, see *Grus canadensis pulla*
Whooping, see *Grus americana*
Cranioleuca vulpina, 96
Crossbills
Red, see *Loxia curvirostra*
White-winged, see *Loxia leucoptera*
Crow
American, see *Corvus brachyrhynchos*
Carrion, see *Corvus corone*
Northwestern, see *Corvus caurinus*
Cuckoo
Common, see *Cuculus canorus*
Mangrove, see *Coccyzus minor*
Cuculus canorus, 165 (r)
Curlew
Bristle-thighed, see *Numenius tahitiensis*
Eurasian, see *Numenius arquata*
Far Eastern, see *Numenius madagascariensis*
Little, see *Numenius minutus*
Long-billed, see *Numenius americanus*
Currawong
Pied, see *Strepera graculina*
Cygnus spp., 144
C. buccinator, 644 (r)
Delichon urbica, 164 (r)
Dendrocygna spp., 291–292
Dendroica adelaidae, 179
D. caerulescens, 443–449, 632 (r)
D. coronata, 541–544
D. fusca, 541–544
D. pensylvanica, 541–544
D. virens, 541–544
Dickcissel, see *Spiza americana*
Dipper, see *Cinclus cinclus*
Diomedea eluxans, 225
D. epomorpha, 226
D. immutabilis, 224–227, 531
D. irrorata, 224–227
D. melanophris, 225
D. nigripes, 153, 224–227
Dove
Mourning, see *Zenaida macroura*
Rock, see *Columba livia*
White-winged, see *Zenaida asiatica*
Zenaida, see *Zenaida aurita*
Dovekie, see *Alle alle*
Dowitcher, see *Limnodromus* spp.
Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, 304, 460
Duck
Muscovy, see *Cairina moschata*
Ruddy, see *Oxyura jamaicensis*
Dunlin, see *Calidris alpina*
Eagle
Bald, see *Haliaeetus leucocephalus*
Egret
Cattle, see *Bubulcus ibis*
Great, see *Ardea alba*
Little, see *Egretta garzetta*
Reddish, see *Egretta rufescens*
Snowy, see *Egretta thula*
Tricolored, see *Egretta tricolor*
Egretta spp., 287–295
E. caerulea, 290
E. garzetta, 160–161 (r)
E. rufescens, 122
E. thula, 118–119, 122, 287–295, 319 (r)
E. tricolor, 122, 290
Eiders
Common, see *Somateria mollissima*
Spectacled, see *Somateria fischeri*
Elaenia cristata, 482 (r)
Elaenia
Plain-crested, see *Elaenia cristata*
Emberiza cia, 193
E. citrinella, 193
E. schoeniclus, 193
Empidonax alnorum, 630–631
E. minimus, 486–487 (r), 541–544
E. traillii, 622–629
E. t. extimus, 630–631
Eremophila alpestris, 140, 489–490 (r)
Erithacus rubecula, 372
Eudocimus albus, 290, 309–310 (r)
Eudyptula minor novaehollandiae, 103
Euphonia
Antillean, see *Euphonia musica*
Euphonia musica, 180
Eurostopodus macrotis, 577
E. temminckii, 577
Falcon
Aplomado, see *Falco femoralis*
Northern Aplomado, see *Falco f. septentrionalis*
Peregrine, see *Falco peregrinus*
Falco columbarius, 608
F. femoralis, 135–143, 493 (r)
F. f. septentrionalis, 136
F. peregrinus, 119–120, 140, 632 (r)
F. rusticolus, 308–309 (r)
F. sparverius, 179, 597, 643 (r)

F. tinnunculus, 608, 610, 636 (r)
Ficedula hypoleuca, 307–308 (r), 368, 372, 487–488 (r)
Finch
Zebra, see *Taeniopygia guttata*
Flycatcher
Alder, see *Empidonax alnorum*
Least, see *Empidonax minimus*
Great Crested, see *Myiarchus crinitus*
Pied, see *Ficedula hypoleuca*
Puerto Rican, see *Myiarchus antillarum*
Suiriri, see *Suiriri suiriri*
Willow, see *Empidonax traillii*
Forpus xanthopterygius, 309 (r)
Fratercula artica, 338–347
Fulica americana, 19–25, 120, 450–457
F. atra, 490 (r)
Fluvicola pica, 91–97
Fulmar
Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 168 (r)
Gadwall, see *Anas strepera*
Gallinago spp., 46, 51
G. gallinago, 51
G. hardwickii, 51–52
G. megala, 51
G. stenura, 51
Garrulus glandarius, 313 (r)
Gavia immer, 118, 122
Geococcyx californianus, 135–136, 140
Geothlypis trichas, 67, 541–544
Glareola maldivarum, 47
Gnatcatcher
Blue-gray, see *Polioptila caerulea*
Godwit
Bar-tailed, see *Limosa lapponica*
Black-tailed, see *Limosa limosa*
Marbled, see *Limosa fedoa*
Golden-Plover
European, see *Pluvialis apricaria*
Pacific, see *Pluvialis fulva*
Goldeneye
Common, see *Bucephala clangula*
Goose
Ashy-headed, see *Chloephaga poliocephala*
Canada, see *Branta canadensis*
Lesser Snow, see *Chen caerulescens caerulescens*
Magellan, see *Chloephaga picta*
Goshawk
Northern, see *Accipiter gentilis*
Grackle
Carib, see *Quiscalus lugubris*
Greater Antillean, see *Quiscalus niger*
Grebe
Eared, see *Podiceps nigricollis*
Little, see *Podiceps ruficollis*
Pied-billed, see *Podilymbus podiceps*
Western, see *Aechmophorus occidentalis*
Greenfinch, see *Carduelis chloris*
Greenshank
Common, see *Tringa nebularia*
Nordmann's, see *Tringa guttifera*
Ground-Dove
Common, see *Columbina passerina*
Grouse
Black, see *Tetrao tetrix*
Hazel, see *Bonasa bonasia*
Red, see *Lagopus lagopus scoticus*
Ruffed, see *Bonasa umbellus*
Sage, see *Centrocercus urophasianus*
Willow, see *Lagopus lagopus*
Grus americana, 200
G. canadensis pulla, 205
G. canadensis tabida, 200–207
Gull
California, see *Larus californicus*
Glaucous-winged, see *Larus glaucescens*
Heerman's, see *Larus heermani*
Herring, see *Larus argentatus*
Ivory, see *Pagophila eburnea*
Laughing, see *Larus atricilla*
Ring-billed, see *Larus delawarensis*
Ross's, see *Rhodostethia rosea*
Yellow-footed, see *Larus livens*
Gygis alba, 531
Gymnorhina tibicen, 493 (r)
Gyps fulvus, 392–399
Gyrfalcon, see *Falco rusticolus*
Haematopus ostralegus, 47, 319 (r), 363, 638 (r)
H. palliatus, 123, 567–569, 572
Haliaeetus leucocephalus, 119–120, 150–151, 211, 590–601, 632 (r), 639–640 (r)
Harrier
Nothern, see *Circus cyaneus*
Hawk
Cooper's, see *Accipiter cooperii*
Puerto Rican Broadwinged, see *Buteo platypterus brunnescens*
Red-tailed, see *Buteo jamaicensis*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsoni*
Tiny, see *Accipiter superciliosus*
Hermit
Little, see *Phaethornis longuemareus*
Long-tailed, see *Phaethornis superciliosus*
Heron
Great Blue, see *Ardea herodias*
Green, see *Butorides striatus*
Little Blue, see *Egretta caerulea*
Purple, see *Ardea purpurea*
Squacco, see *Ardeola ralloides*
Tricolored, see *Egretta tricolor*

Heteroscelus brevipes, 42, 45–46, 49–50, 52–53, 567–569
H. incanus, 42, 45–46, 49, 53
Himantopus himantopus, 46, 48–49
H. h. himantopus, 49
H. h. leucocephalus, 49
H. mexicanus, 562–574, 627
Hirundo rustica, 367
Honeyeater
New Holland, see *Phylidonyris novaehollandiae*
Regent, see *Xanthomyza phyrgia*
Singing, see *Lichenostomus virescens*
Hydropsalis brasiliana, 577
Hummingbird
Anna's, see *Calypte anna*
Calliope, see *Stellula calliope*
Puerto Rican Emerald, see *Chlorostilbon maugaeus*
Rufous, see *Selasphorus rufus*
Rufous-tailed, see *Amazilia tzacatl*
Hylocichla mustelina, 348–357, 367–375, 498 (r)
Ibis
Glossy, see *Plegadis falcinellus*
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
Icterus dominicensis, 179
I. galbula, 542–543
I. parisorum, 140
Iridoprocne bicolor, see *Tachycineta bicolor*
Jabiru mycteria, 287–295
Jay
Eurasian, see *Garrulus glandarius*
Gray-breasted, see *Aphelocoma ultramarina*
Junco
Carolina, see *Junco hyemalis carolinensis*
Dark-eyed, see *Junco hyemalis*
Northern, see *Junco hyemalis hyemalis*
Junco hyemalis, 183–199, 495 (r)
J. h. carolinensis, 183–199
J. h. hyelmalis, 183–199
Kestrel
American, see *Falco sparverius*
Killdeer, see *Charadrius vociferus*
Kingbird,
Puerto Rican Loggerhead, see *Tyrannus caudifasciatus*
Western, see *Tyrannus verticalis*
Kingfisher
Belted, see *Ceryle alcyon*
Ringed, see *Ceryle torquata*
Kittiwake
Black-legged, see *Rissa tridactyla*
Knot
Great, see *Calidris tenuirostris*
Red, see *Calidris canutus*
Lagopus lagopus, 308–309 (r), 417
L. l. scoticus, 167–168 (r)
L. leucurus, 417
L. mutus, 308–309 (r)
Lanius cristatus superciliosus, 496–497 (r)
L. ludovicianus, 273–282
L. l. exubitorides, 280
L. l. migrans, 279
Lark
Horned, see *Eremophila alpestris*
Larus argentatus, 122, 490–491 (r)
L. atricilla, 117, 122
L. californicus, 122, 485 (r)
L. canus, 211
L. delawarensis, 117, 122, 158 (r), 505
L. glaucescens, 153, 211
L. heermani, 122
L. livens, 122
Leistes militaris, 96
Lepidocolaptes angustirostris, 482 (r)
Lepidothrix serena, 169–170 (r)
Lichenostomus virescens, 493 (r)
Limnodromus spp., 47, 52, 119, 123, 360, 562–574
L. griseus, 358–366
L. scolopaceus, 360
Limosa fedoa, 119, 123, 361, 562–574
L. lapponica, 46, 50, 52, 361
L. limosa, 47, 50, 361
Lizard-Cuckoo
Puerto Rican, see *Saurothera vieilloti*
Loon, Common, see *Gavia immer*
Loxia curvirostra, 613–614, 619
L. leucoptera, 613–621
Lurocalis semitorquatus, 577
Lyrebird
Superb, see *Menura novaehollandiae*
Magpie
Australian, see *Gymnorhina tibicen*
Black-billed, see *Pica pica*
Mallard, see *Anas playtrhynchos*
Manakin
White-fronted, see *Lepidothrix serena*
White-throated, see *Corapipo guttaralis*
Margarops fuscatus, 179
Marsh-Tyrant
White-headed, see *Arundinicola leucocephala*
Martin
House, see *Delichon urbica*
Meadowlark
Eastern, see *Sturnella magna*
Megaceryle alcyon, 485 (r)
Megadyptes antipodes, 103
Melanerpes portoricensis, 179
M. carolinus, 460

Melanitta perspicillata, 505
Melospiza lincolnii, 193
M. melodia, 537–546
Menura novaehollandiae, 486 (r)
Merganser
Common, see *Mergus merganser*
Red-breasted, see *Mergus serrator*
Mergus spp., 211
M. serrator, 119, 635–636 (r)
M. merganser, 211
Mimus polyglottos, 140
Mniotilta varia, 542–544
Mockingbird
Northern, see *Mimus polyglottos*
Molothrus bonariensis, 91–97
M. ater, 135–136, 140, 312 (r), 483 (r), 634–635 (r)
Motacilla flava, 313 (r)
M. alba, 319 (r)
Murre
Common, see *Uria aalgae*
Thick-billed, see *Uria lomvia*
Murrelet
Marbled, see *Brachyramphus marmoratus*
Myiarchus antillarum, 179
M. crinitus, 541–543
Mycteria americana, 161 (r), 287–295
Myospiza humeralis, 482 (r)
Myrmotherula fulviventris, 429
Nectarinia amethystina, 633 (r)
N. famosa, 633 (r)
Neothraupis fasciata, 482 (r)
Nesospingus speculiferus, 179
Nighthawk
Common, see *Chordeiles minor*
Night-Heron
Black-crowned, see *Nycticorax nycticorax*
Nankeen, see *Nycticorax caledonicus*
Nightjar
Jungle, see *Caprimulgus indicus*
Red-necked, see *Caprimulgus ruficollis*
Ninox strenua, 155–156 (r)
Noddy
Black, 531
Nucifraga carryocatactes, 638 (r)
Numenius americanus, 119, 123, 567–570
N. arquata, 47, 361, 638–639 (r)
N. madagascariensis, 47, 52
N. minutus, 47
N. phaeopus, 42, 45–46, 48, 50, 52–53, 123, 308–309 (r), 567–569
N. p. variegatus, 50
N. tahitiensis, 47, 144
Nutcracker
Eurasian, see *Nucifraga carryocatactes*
Nuthatch
Eurasian, see *Sitta europaea*
White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax, 118–119, 122, 319 (r), 485 (r)
N. caledonicus, 493 (r)
Nyctidromus albicollis, 577
Nyctiphrynus ocellatus, 577
Oceanodroma castro, 31
O. melania, 122
Oilbird, see *Steatornis caripensis*
Oldsquaw, see *Clangula hyemalis*
Oporornis formosus, 367
O. philadelphia, 537–546
Oriole
Northern, see *Icterus galbula*
Puerto Rican Black-cowled, see *Icterus dominicensis*
Scott's, see *Icterus parisorum*
Osprey, see *Pandion haliaetus*
Otus asio, 169 (r)
O. nudipes, 179
Ovenbird, see *Seiurus aurocapillus*
Owl
Barn, see *Tyto alba*
Great Horned, see *Bubo virginianus*
Masked, see *Tyto novaehollandiae*
Northern Spotted, see *Strix occidentalis caurina*
Powerful, see *Ninox strenua*
Sooty, see *Tyto tenebricosa*
Tawny, see *Strix aluco*
Oxyura jamaicensis, 2, 5, 119–120, 643 (r)
Oystercatcher
American, see *Haemotopus palliatus*
Eurasian, see *Haemotopus ostralegus*
Pagophila eburnea, 168 (r)
Palm-Tanager
Black-crowned, see *Phaenicophilus palmarum*
Pandion haliaetus, 119, 485 (r), 503–508, 598
Parula
Northern, see *Parula americana*
Parula americana, 542–543
Parus spp., 482 (r)
P. ater, 485 (r)
P. atricapillus, 484 (r), 495 (r)
P. caeruleus, 313 (r)
P. cristatus, 484–485 (r)
P. major, 313 (r), 316–317 (r), 483 (r), 485 (r), 497 (r)
P. montanus, 159–160 (r), 319 (r), 484–485 (r), 642–643 (r)
P. palustris, 637–638 (r)
Passer domesticus, 7, 8, 14–17, 136, 156 (r), 325, 494–495 (r), 516
Passerculus sandwichensis, 489–491 (r)
Pelecanus occidentalis, 117, 122, 634 (r)
P. erythrorhynchos, 117, 122, 488–489 (r)

Pelican
American White, see *Pelecanus erythrorhynchos*
Brown, see *Pelecanus occidentalis*
Penguin
Adélie, see *Pygoscelis adeliae*
Chinstrap, see *Pygoscelis antarctica*
Humboldt, see *Spheniscus humboldti*
King, see *Aptenodytes patagonicus*
Little Blue, see *Eudyptula minor novaehollandiae*
Magellanic, see *Spheniscus magellanicus*
Yellow-eyed, see *Megadyptes antipodes*
Petrel
Bonin, see *Pterodroma hypoleuca*
Hawaiian Dark-rumped, see *Pterodroma phaeopygia*
Phoneix, see *Pterodroma alba*
Phaenicophilus palmarum, 179
Phaethon rubricauda, 310–311 (r), 531
Phaethornis spp., 98–101
P. longuemareus, 98–101
P. superciliosus, 98–101
Phalacrocorax albiventer, 555
P. aristotelis, 547–561
P. atriceps, 555
P. auritus, 117
P. capillatus, 555
P. carbo sinensis, 485–486 (r)
Phalarope
Red, see *Phalaropus fulicaria*
Phalaropus fulicaria, 567–569
Phasianus colchicus, 20, 318 (r)
Pheasant
Ring-necked, see *Phasianus colchicus*
Philomachus pugnax, 46, 51
Phylidonyris novaehollandiae, 157 (r)
Phylloscopus sibilatrix, 367
P. trochilus, 372
Pica pica, 635–636 (r)
Picoides borealis, 228–234, 458–470
Pigeon
Band-tailed, see *Columba fasciata*
Homing, see *Columba livia*
Pionopsitta pileata, 309 (r)
Pionus maximiliani, 309 (4)
Pintail
Northern, see *Anas acuta*
Piranga rubra, 178–182
Plectrophenax nivalis, 314 (r)
Plegadis chihi, 119
P. falcinellus, 309–310 (r)
Plover
Black-bellied, see *Pluvialis squatarola*
Common Ringed, see *Charadrius hiaticula*
Greater Sand, see *Charadrius leschenaultii*
Little Ringed, see *Charadrius dubius*
Mongolian, see *Charadrius mongolus*
Mountain, see *Charadrius montanus*
Semipalmated, see *Charadrius semipalmatus*
Snowy, see *Charadrius alexandrinus*
Wilson's, see *Charadrius wilsonia*
Pluvialis apricaria, 308–309 (r)
P. fulva, 42, 45–46, 48–50, 52–54
P. squatarola, 46, 53, 119, 123, 360–361, 562–574
Podiceps nigricollis, 122
P. ruficollis, 490 (r)
Podilymbus podiceps, 118
Poephila guttata, see *Taeniopygia guttata*
Polioptila caerulea, 312 (r)
Pooecetes gramineus, 166 (r)
Porzana carolina, 450–457
Pratincole
Oriental, see *Glareola maldivarum*
Promerops gurney, 633 (r)
Protonotaria citrea, 428
Ptarmigan
Rock, see *Lagopus mutus*
Willow, see *Lagopus lagopus*
White-tailed, see *Lagopus leucurus*
Pterocnemia spp., 145
Pterodroma alba, 376–381
P. hypoleuca, 379, 530–536
P. phaeopygia, 31
Puffin
Atlantic, see *Fratercula arctica*
Puffinus auricularis newelli, 26–32
Pygoscelis adeliae, 103
P. antarctica, 103
Pyrrhuloxia, see *Cardinalis sinuatus*
Pyrrhura frontalis, 309 (r)
Quail
Japanese, see *Coturnix coturnix*
Quiscalus lugubris, 96
Q. niger, 179
Rail
Yellow, see *Coturnicops noveboracensis*
Yuma Clapper, see *Rallus longimembris yumanensis*
Rallus longimembris yumanenesis, 114
Raven
Common, see *Corvus corax*
Recurvirostra americana, 123, 562–574
Redhead, see *Aythya americana*
Redshank
Common, see *Tringa totanus*
Spotted, see *Tringa erythropus*
Redstart
American, see *Setophaga ruticilla*
Rhea, spp., see *Pterocnemia*
Rhodostethia rosea, 168 (r)
Rhynchops niger, 118, 122

Rissa tridactyla, 168 (r)
Roadrunner
Greater, see *Geococcyx californianus*
Robin
American, see *Turdus migratorius*
European, see *Erithacus rubecula*
Ruff, see *Philomachus pugnax*
Rupicola rupicola, 169–170 (r)
Sanderling, see *Calidris alba*
Sandpiper
Common, see *Actitis hypoleucos*
Curlew, see *Calidris ferruginea*
Green, see *Tringa ochropus*
Least, see *Calidrius minutilla*
Marsh, see *Tringa stagnatilis*
Pectoral, see *Calidris melanotos*
Purple, see *Calidris maritima*
Semipalmated, see *Calidris pusilla*
Sharp-tailed, see *Calidris acuminata*
Spotted, see *Actitis macularia*
Terek, see *Xenus cinereus*
Western, see *Calidris mauri*
Wood, see *Tringa glareola*
Saurothera vieilloti, 179
Schetba rufa, 634 (r)
Scolopax minor, 58
S. rusticola, 492–493 (r)
Scoter
Surf, see *Melanitta perspicillata*
Screech-Owl
Eastern, see *Otus asio*
Puerto Rican, see *Otus nudipes*
Scrub-Jay
Florida, see *Aphelocoma coerulescens*
Seiurus aurocapillus, 367–375, 537–546
S. noveboracensis, 428
Selasphorus rufus, 245–252
Setophaga ruticilla, 486–487 (r), 542–544
Shag
European, see *Phalacrocorax aristotelis*
Blue-eyed, see *Phalacrocorax atriceps*
Shearwater
Newell's see *Puffinus auricularis newelli*
Shoveler
Northern, see *Anas clypeata*
Shrike
Brown, see *Lanius cristatus superciliosus*
Loggerhead, see *Lanius ludovicianus*
Sialia mexicana, 312 (r), 635 (r)
S. sialis, 7–18, 167 (r), 311 (r), 323–330, 483 (r)
Sitta carolinensis, 285
S. europaea, 166–167 (r)
Skimmer
Black, see *Rhynchops niger*
Skylark, see *Alauda arvensis*
Snipe, spp., see *Gallinago*
Common, see *Gallinago gallinago*
Latham's, see *Gallinago hardwickii*
Pintail, see *Gallinago stenura*
Swinhoe's, see *Gallinago megala*
Somateria fischeri, 471–481
S. mollissima, 473
Sora, see *Porzana carolina*
Sparrow
American Tree, see *Spizella arborea*
Black-throated, see *Amphispiza bilineata*
Cassin's, see *Aimophila cassinii*
Grasshopper, see *Ammodramus savannarum*
Grassland, see *Myospiza humeralis*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*
Vesper, see *Pooecetes gramineus*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk, see *Accipiter nisus*
Spheniscus humboldti, 102–112
S. magellanicus, 103
Spinetail
Rusty-backed, see *Cranioleuca vulpina*
Spiza americana, 317 (r)
Spizella arborea, 193, 257, 495 (r)
S. passerina, 193
S. pusilla, 495 (r)
Spoonbill
Roseate, see *Ajaia ajaja*
Sphyrapicus spp., 482 (r)
Starling
European, see *Sturnus vulgaris*
Steatornis caripensis, 309 (r)
Stellula calliope, 248
Sterna spp., 317–318 (r), 401, 404, 406–408, 410
S. anaethetus, 498
S. antillarum, 114, 122
S. caspia, 118, 122, 310 (r), 485 (r)
S. dougallii, 79–90
S. elegans, 122
S. forsteri, 118, 122
S. hirundo, 79–90, 628
S. maxima, 122
S. nilotica, 118, 122
S. paradisaea, 400–412
Stilt
Black-winged, see *Himantopus himantopus*
Black-necked, see *Himantopus mexicanus*
Stint
Little, see *Calidris minuta*
Long-toed, see *Calidris subminuta*
Rufous-necked, see *Calidris ruficollis*
Temminck's, see *Calidris temminckii*
Stork

Jabiru, see *Jabirus mycteria*
Wood, see *Mycteria americana*
Storm-Petrel
Band-rumped, see *Oceanodroma castro*
Black, see *Oceanodroma melania*
Strepera graculina, 156–158 (r)
Strix aluco, 169 (r)
S. occidentalis caurina, 500 (r)
Sturnella spp., 135–136, 138
S. magna, 489–490 (r)
Sturnus vulgaris, 8, 26, 136, 325, 482–483 (r), 487–488 (r)
Sugarbird
Gurney's, see *Promerops gurney*
Suiriri suiriri, 482 (r)
Sula leucogaster, 122
Sunbird
Black, see *Nectarinia amethystina*
Malachite, see *Nectarinia famosa*
Swallow
Barn, see *Hirundo rustico*
Tree, see *Tachycineta bicolor*
Violet-green, see *Tachycineta thalassina*
Swan, spp., see *Cygnus*
Swift
Chimney, see *Chaetura pelagica*
Common, see *Apus apus*
Vaux's, see *Chaetura vauxi*
Tachycineta bicolor, 14, 162–163 (r), 307 (r), 311 (r), 483–484 (r)
T. thalassina, 483–484 (r)
Taeniopygia guttata, 162 (r), 310–312 (r), 642 (r)
Tanager
Puerto Rican, see *Nesospingus speculiferus*
Stripe-headed, see *Spindalis zena*
Summer, see *Piranga rubra*
White-banded, see *Neothraupis fasciata*
Tattler
Gray-tailed, see *Heteroscelus brevipes*
Wandering, see *Heteroscelus incanus*
Teal
Blue-winged, see *Anas discors*
Cinnamon, see *Anas cyanoptera*
Green-winged, see *Anas crecca*
Tern
Arctic, see *Sterna paradisaea*
Black, see *Chlidonias niger*
Bridled, see *Sterna anaethetus*
Caspian, see *Sterna caspia*
Common, see *Sterna hirundo*
Elegant, see *Sterna elegans*
Forster's, see *Sterna forsteri*
Gull-billed, see *Sterna nilotica*
Least, see *Sterna antillarum*
Roseate, see *Sterna dougalli*
Royal, see *Sterna maxima*
White, see *Gygas alba*
Tetrao tetrix, 417
Thamnophilus punctatus, 428–429
Thrasher
Pearly-eyed, see *Margarops fuscatus*
Thrush
Bicknell's, see *Catharus bicknelli*
Gray-cheeked, see *Catharus minimus*
Red-legged, see *Turdus plumbeus*
Song, see *Turdus philomelos*
Wood, see *Hylocichla mustelina*
Thryothorus nigricapillus, 487 (r)
Tit
Blue, see *Parus caeruleus*
Coal, see *Parus ater*
Crested, see *Parus cristatus*
Great, see *Parus major*
Marsh, see *Parus palustris*
Willow, see *Parus montanus*
Treecreeper
Rufous, see *Climacterus rufa*
Triclaria malachitacea, 309 (r)
Tringa erythropus, 47
T. flavipes, 358–366, 567–569
T. glareola, 42, 45–46, 49, 53
T. guttifera, 47
T. melanoleuca, 47, 52, 361, 567–571
T. nebularia, 46, 49
T. ochropus, 47
T. stagnatilis, 46, 49
T. totanus, 47, 361
Trogolodytes aedon, 7, 10, 14–17, 161–162 (r), 285, 311 (r), 482 (r), 634–635 (r)
T. troglodytes, 542–544
Tropicbird
Red-tailed, see *Phaethon rubricauda*
Turdus merula, 491
T. migratorius, 505
T. philomelos, 164 (r)
T. plumbeus, 179
Turnstone
Black, see *Arenaria melanocephala*
Ruddy, see *Arenaria interpres*
Tyrannus caudifasciatus, 179
T. savana savana, 640 (r)
T. verticalis, 140
Tyto alba, 27
T. novaehollandiae, 155–156 (r)
T. tenebricosa, 155–156 (r)
Uria aalgae, 152–154
U. lomvia, 344
Vanga, Rufous, see *Schetba rufa*
Veery, see *Catharus fuscescens*
Vireo altiloquus, 179–180
V. latimeri, 180
V. olivaceus, 312–313 (r), 541–544
Vireo

Black-whiskered, see *Vireo altiloquus*
Puerto Rican, see *Vireo latimeri*
Red-eyed, see *Vireo olivaceus*
Vulture
Griffon, see *Gyps fulvus*
Wagtail
White, see *Motacilla alba*
Yellow, see *Motacilla flava*
Warbler
Adelaide's, see *Dendroica adelaidae*
Black-and-White, see *Mniotilta varia*
Blackburnian, see *Dendroica fusca*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Chestnut-sided, see *Dendroica pensylvanica*
Great Reed, see *Acrocephalus arundinaceus*
Hooded, see *Wilsonia citrina*
Kentucky, see *Oporonis formosus*
Marsh, see *Acrocephalus palustris*
Mourning, see *Oporonis philadelphia*
Prothonotary, see *Protonotaria citrea*
Reed, see *Acrocephalus scirpaceus*
Sedge, see *Acrocephalus schoenobaenus*
Willow, see *Phylloscopus trochilus*
Wood, see *Phylloscopus sibilatrix*
Yellow-rumped, see *Dendroica coronata*
Waterthrush
Northern, see *Seiurus noveboracensis*
Water-Tyrant
Pied, see *Fluvicola pica*
Whimbrel, see *Numenius phaeopus*
Whistling-Duck, see *Dendrocygna* spp.
Wigeon
American, see *Anas americana*
Willet, see *Catoptrophorus semipalmatus*
Wilsonia citrina, 64–68, 75–78
Woodcock
European, see *Scolopax rusticola*
American, see *Scolopax minor*
Woodcreeper
Narrow-billed, see *Lepidocolaptes angustirostris*
Woodpecker
Ivory-billed, see *Campephilus principalis*
Magellenic, see *Campephilus magellanicus*
Pileated, see *Dryocopus pileatus*
Puerto Rican, see *Melanerpes portoricensis*
Red-bellied, see *Melanerpes carolinus*
Red-cockaded, see *Picoides borealis*
Wren
Bay, see *Thryothorus nigricapillus*
Bicolored, see *Campylorhyncus griseus*
Cactus, see *Campylorhynchus brunneicapillus*
House, see *Trogolodytes aedon*
Marsh, see *Cistothorus palustris*
Winter, see *Troglodytes troglodytes*
Xanthocephalus xanthocephalus, 451
Xanthomyza phyrgia, 490 (r)
Xenus cinereus, 50
Yellowlegs
Greater, see *Tringa melanoleuca*
Lesser, see *Tringa flavipes*
Yellowthroat
Common, see *Geothlypis trichas*
Zenaida asiatica, 270, 367, 633 (r)
Z. aurita, 259–272
Z. macroura, 140, 270, 588, 633 (r)
Zonotrichia albicollis, 193, 537–546